

Atrybut	Wartości
printer-state	0x3
printer-state-reasons	none
printer-state-message	
printer-is-accepting-jobs	Tak
printer-up-time	czw sty 12 21:07:58 2006
printer-state-time	czw sty 12 21:00:39 2006
printer-current-time	2006-01-12, 20:07:58 +0000
queued-job-count	0
printer-uri-supported	ipp://serwer CUPS:631/printers/psc1500series
uri-authentication-supported	requesting-user-name
uri-security-supported	none
printer-name	psc1500series
printer-location	Drukarka USB na //6543?serial=MY5A4D611W0498
printer-info	HP PSC 1500 series
printer-more-info	ipp://serwer CUPS:631/printers/psc1500series
job-quota-period	0
job-k-limit	0
job-page-limit	0
job-sheets-default	none none
device-uri	usb://6543?serial=MY5A4D611W0498
color-supported	Tak
pages-per-minute	1
printer-make-and-model	HP PSC 1510 Foomatic/hpijs (recommended)
media-supported	Default PhotoTray Upper Lower Envelope LargeCapacity Manual MPTray Auto Custom Letter A4 Photo Photo5x7 PhotoTearOff 3x5 5x8 A5 A6 A6TearOff B5JIS Env10

	Env10 EnvC5 EnvC6 EnvDL EnvISOB5 EnvMonarch Executive FLSA Hagaki Legal Oufuku w558h774 w612h935
media-default	Letter
sides-supported	one two-long-edge two-short-edge
sides-default	one
finishings-supported	0x3
finishings-default	0x3
printer-type	0x901c
pdl-override-supported	not-attempted
ipp-versions-supported	1.0 1.1
operations-supported	0x2 0x4 0x5 0x6 0x8 0x9 0xa 0xb 0xc 0xd 0x10 0x11 0x12 0x14 0x22 0x23 0x4001 0x4002 0x4003 0x4004 0x4005 0x4006 0x4007 0x4008 0x4009 0x400b 0x400c

multiple-document-jobs-supported	Tak
multiple-operation-time-out	czw sty 1 01:01:00 1970
multiple-document-handling-supported	separate-documents-uncollated-copies separate-documents-collated-copies
charset-configured	utf-8
charset-supported	us-ascii iso-8859-1 iso-8859-2 iso-8859-3 iso-8859-4 iso-8859-5 iso-8859-6 iso-8859-7 iso-8859-8 iso-8859-9 iso-8859-10 iso-8859-13 iso-8859-14 iso-8859-15 utf-8 windows-874 windows-1250 windows-1251 windows-1252 windows-1253 windows-1254 windows-1255 windows-1256 windows-1257 windows-1258 koi8-r koi8-u
natural-language-configured	en
generated-natural-language-supported	en
document-format-default	application/octet-stream
document-format-supported	application/mozilla-ps application/netscape-ps application/pdf application/postscript application/vnd.cups-command application/vnd.cups-form application/vnd.cups-postscript application/vnd.cups-raster application/vnd.cups-raw application/vnd.hp-hpgl application/x-cshell application/x-perl application/x-shell image/gif image/jpeg image/png

	image/tiff image/x-alias image/x-bitmap image/x-photocd image/x-portable-anymap image/x-portable-bitmap image/x-portable-graymap image/x-portable-pixmap image/x-sgi-rgb image/x-sun-raster image/x-xbitmap image/x-xpixmap text/html text/plain application/octet-stream
compression-supported	none gzip
job-priority-supported	100
job-priority-default	50
copies-supported	[1, 100]
copies-default	1
page-ranges-supported	Tak
number-up-supported	1 2 4 6 9 16
number-up-default	1
orientation-requested-supported	0x3 0x4 0x5 0x6
orientation-requested-default	0x3
job-hold-until-supported	no-hold indefinite day-time evening night second-shift third-shift weekend
job-hold-until-default	no-hold
job-sheets-supported	none classified confidential secret standard topsecret unclassified